

INSTRUCTIONS ON HOW TO MEASURE TWO PIECE SLING

Step one: Locate rails





Locate the center of the rails (channel) as shown in (Pic.1 and 2)

Step two: Measure top width (Back area of chair)



Towards the top part of the chair's frame, place the tape measure in the center of one rail and measure across to the opposite rail as shown in (Pic.3)

Step three: Measure bottom width (Back area of chair)



Towards the bottom part of the chair's back area, place the tape measure in the center of one rail and measure across to the opposite rail as shown in (Pic.4)



Step four: Measure length (Back area of chair)



Place the tape measure at the very top of the sling rail (don't include end cap) and measure following the curve (if any) carefully until the edge of the bottom rail.

Important: Use the rail as your guide and not the sling fabric as shown in (Pic.5)

Step five: Measure back width (Seat area of chair)



Towards the back part of the chair's seating area, place the tape measure in the center of one rail and measure across to the opposite rail as shown in (Pic.6)

Step six: Measure front width (Seat area of chair)



At the front part of the chair's seating area, place the tape measure in the center of one rail and measure across to the opposite rail as shown in (Pic.7)



Step seven: Measure length (Seat area of chair)



Place the tape measure starting at the back of the sling rail (don't include end cap) and measure following the curve (if any) carefully until the edge of the front rail. Important: Use the rail as your guide and not the sling fabric as shown in (Pic.8)